Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	2005/0040337	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 10:43
L3	0	L2 and cavity	US-PGPUB; USPAT	OR	ON	2005/12/27 10:43
L4	24	strength with lineshape	US-PGPUB; USPAT	OR	ON	2005/12/27 10:43
L5	14	L4 and cavity	US-PGPUB; USPAT	OR	ON	2005/12/27 10:43
L6	17	("4648714"   "5432610"   "5459745").PN. OR ("5747807"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 11:06
L7	11	l6 and cavity	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 11:08
L8	6662	"17" and (line near (shape strength))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 11:08
L9	0	I7 and (line near (shape strength))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 11:08
L10	0	7 and lineshape	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 11:08
<b>S1</b>	3777	ringdown or ring near down	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 13:04
S2	8931	ringdown or ring near2 down	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 13:05
<b>S</b> 3	93141	"356"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 16:04
S4	102	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 13:09
S5	75	absor\$5 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 13:09

S6	726	356/437.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 16:04
S7	113320	(referenc\$3 or standard) with sample	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 16:05
<b>S8</b>	149	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/15 16:05
S9	8	decay and S8	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:35
S10	1718	356/437,408,319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:36
S11	113152	(reference\$3 or standard) with sample	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:36
S12	489	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:36
S13	355	absor\$5 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:50
S14	23	decay and S13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/16 11:50
S15	20	("3751643"   "3874799"   "4043756"   "4093991"   "4158505"   "4180327"   "4200934"   "4227079"   "4228515").PN. OR ("4458323"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:38
S16	0	("2005/0157303").URPN.	USPAT	OR	OFF	2005/12/19 13:45
S17	1718	356/437,408,319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/19 13:45
S18	113152	(reference\$3 or standard) with sample	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/19 13:45

						2005/40//2 12 1
S19	489	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/19 13:45
S20	355	absor\$5 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/19 13:45
S21	25	S20 and impurit\$3	USPAT	OR	OFF	2005/12/19 16:45
S22	45067	"356"/\$.ccls.	USPAT	OR	OFF	2005/12/19 16:46
S23	494058	(("356") or ("250") or ("422") or ("435") or ("436")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/19 16:48
S24	0	2005/0040337	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 11:37
S25	1	("6147351").PN. or ((2005/0040337) or (2004/0145743)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/20 11:38
S26	3	(("20050040337") or ("20040145743") or ("6147351")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/20 11:40
S27	1	("6816636").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/20 11:40
S28	494178	(("356") or ("250") or ("422") or ("435") or ("436")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/20 11:46
S29	26	(measur\$ detect\$ determin\$ calculat\$) near4 (concentrat\$) near4 (gas\$2) with decay\$	US-PGPUB; USPAT	OR	ON	2005/12/23 11:15
S30	23	S28 and S29	US-PGPUB; USPAT	OR	ON	2005/12/20 12:02
S31	292	(laser near diode)near cw	US-PGPUB; USPAT	OR	ON	2005/12/23 13:42
S32	0	strngth near lineshape	US-PGPUB; USPAT	OR	ON	2005/12/23 13:42
S33	1	strength near lineshape	US-PGPUB; USPAT	OR	ON	2005/12/23 13:42
S34	، 24	strength with lineshape	US-PGPUB; USPAT	OR	ON	2005/12/27 10:43